Anti-DDoS Basic

FAQs

Anti-DDoS Basic FAQs

FAQs

Flow cleaning

The flow cleaning service consists of three units: detecting center, cleaning center, and centralized management center.

The detecting center monitors data traffic flowing into the ECS instance, and identifies abnormal traffic in a timely manner, such as DDoS attack. When an abnormity is detected, the management center guides the cleaning center to clean suspicious traffic based on the traffic diversion policy. Malicious traffic is removed, while legitimate traffic is returned to the original instance. This ensures only legitimate traffic can be forwarded to the target system.

Cancel flow cleaning

- 1. Log on to the Alibaba Cloud console.
- 2. Click Anti-DDoS Basic under Security.
- 3. Find your server that is in the flow cleaning status, click **Cancel Cleaning**. **Note** One account can manually cancel flow cleaning for **three times** in one day.

Anti-DDoS Basic service allows you to set the alarm modes (alarm through text message or e-mail) and the alarm time periods (alarm only between 10:00 - 20:00, or 24/7 alarm).

Note The alarm time period settings only apply to text message alarms. Therefore, if you have set "Alarm only between 10:00 - 20:00", e-mail alarms will still be sent outside of this time period, but text message alarms will not be sent.


1. Log on to Alibaba Cloud Security console.



3. In the Alarm settings dialog box, configure the settings based on your needs.

Tip For message receiver settings, see Alibaba Cloud Security message receiver settings.

Log on to Message Center console.



Click **Modify** and select the message receiver.

