


MindAccess DevOps Plan Product Sheet

Document Version: v1.1 (May 2019), PRC



1. Introduction





- MindAccess Developer Plan provides you with an Account to your own Resources on MindSphere to develop and test your applications. After development, the application can be transferred to productive resources provided as part of the MindAccess Operator Plan.
- MindAccess Operator Plan provides you with an Account to your own resources on MindSphere for productive operation and support of applications. MindAccess Operator Plan also enables you to provide the application to MindAccess IoT Value Plan subscribers.

1.1. Prerequisites

Item	Description
Web browser	An HTML5 capable Internet browser is required (e.g. Mozilla
	Firefox, Google Chrome or Microsoft Internet Explorer). The
	recommended screen resolution is 1024x768 or higher.
Internet connection	The bandwidth of your Internet connection will determine your
	experience of the performance of the Services.
Data import	Import data to your MindAccess Developer Plan Account or
	MindAccess Operator Plan Account through use of our
	designated MindSphere APIs.

v1.1 (May.19) Page 2 of 14

2. MindAccess Developer Plan

Item	Description
Access to your Account	MindAccess Developer Plan provides you with a dedicated
	Account on MindSphere. You can login into your Account via the
	respective URL provided by us.
General	Different sizes of MindAccess Developer Plan are available
	(Small/Medium/ Large). You are only authorized to utilize the
	Plan size to which you hold a valid subscription.

2.1. MindAccess Developer Plan - Size Overview

Item	Size		
	Small	Medium	Large
Cloud Foundry development space	V	$\sqrt{}$	$\sqrt{}$
Highly available system¹	V	$\sqrt{}$	$\sqrt{}$
Developer tenant	V	$\sqrt{}$	$\sqrt{}$
Developer Cockpit	V	V	$\sqrt{}$
Fleet Manager incl. rules and events ²	V	$\sqrt{}$	$\sqrt{}$
Services via MindSphere APIs ³	V	$\sqrt{}$	V
Unlimited number of routes	V	V	V
Cloud Foundry RAM size	2 GB	10 GB	20 GB
Concurrent instances of			
Backing Services – XS	2	4	6
Subtenants	1	5	10
Users ⁴	10	50	100
Asset types	5	25	50
Asset instances	20	100	200
Event types	10	50	100
Event instances	250 000	1 250 000	2 500 000
Connected Agents ⁵	1	5	10
Notifications per month	1 000	5 000	10 000

v1.1 (May.19) Page 3 of 14

Analytics Services: Number of API calls per month	500	1 000	1 500
Data ingest rate ⁶ (time series)	3 kB/s	13 kB/s	25 kB/s
Time series data storage in developer tenant ⁷	20 GB	100 GB	200 GB
Data ingest via MindConnect IoT Extension per month (as part of time series data storage)	5 GB	5GB	5 GB
File storage	10 GB	50 GB	100 GB
Application uploads to MindAccess Operator Plan Account per month	1	5	10
Outbound Traffic ⁸ per month	60 GB	300 GB	600 GB
Supported build packs	Go, Java, Node.js, .Net core, PHP, Python, Ruby, Static		

¹⁾ Redundant application deployment possible; ²⁾ Limited use of rules and events; one active concurrent rule included in all Plan sizes; ³⁾ Comprehensive set of certain Services available via MindSphere APIs, e.g. Analytics Services, Notification Service, Token Manager Service etc. Authorized limits set out in this Product Sheet or in the MindSphere Supplemental Terms apply; ⁴⁾ User can have different roles e.g. Admin, Developer etc.; ⁵⁾ Assets connected via MindConnect IoT Extension are not counted as Agents. Each connected Agent leads to one used asset instance; ⁶⁾ Based on number of assets, number of variables per asset, size per variable, read cycle interval, sending frequency and overhead; ⁷⁾ Includes data ingested via MindConnect IoT Extension; ⁸⁾ Outbound Traffic is the total network traffic that is generated by the use of our Services by you and by Users of your application or operated application to devices, locations, databases, applications or other destinations outside the Platform via the exit of the wide area network of the data centers used by us to provide the respective Services. Outbound Traffic includes also data transfer for visualization purposes to e.g. a web browser.

Authorized Limits	Should the actual usage of your Plan size repeatedly
	exceed one or more of the applicable limits above (e.g.
	the number of Users for your Plan size), and should you
	not order the appropriate increase of usage capacities for
	an additional fee, we reserve the right to suspend the
	Service. Other contractual rights and remedies remain
	unaffected.

v1.1 (May.19) Page 4 of 14

2.2. MindAccess Developer Plan - Tools

Item	Description
General	The following administration tools are available on your
	MindSphere Launchpad:
	Developer Cockpit
	Usage Transparency
	Settings
	Asset Manager
Developer Cockpit	Use Developer Cockpit to:
	Assign a new application to your own developer tenant.
	Manage versions of your application. A User can perform an
	update of an application in order to transfer and assign it to a
	MindAccess Operator Plan Account.
	Transfer of new or updated applications to a MindAccess
	Operator Plan Account: You decide which application you want
	to make available for productive deployment by uploading it
	together with additional information to an intermediate
	repository. The transfer process cannot be withdrawn after the
	upload. You will be notified via the Developer Cockpit and via
	email once the transfer of your application has been successful
	and the application is available to run on the MindAccess
	Operator Plan Account.
	For detailed information on the individual process steps, please
	refer to the MindSphere DevOps Guide.
Usage Transparency	Usage Transparency provides information regarding your
	resource consumption e.g.
	API calls
	Number of Users
	Inbound and outbound traffic
Settings	Settings allow managing Users, permissions, rights, roles,
	subtenants and tenant provider information.
	For every User, an individual login is required.
	A third party User which you permit to test the application for such
	third parties' end use shall not be granted with administration
	rights, except for administration rights that are offered by the user

v1.1 (May.19) Page 5 of 14

	management of a subtenant.
Asset Manager	Use Asset Manager to:
	Onboard and offboard Agents to your Account.
	Configure assets, asset types and aspect types.

v1.1 (May.19) Page 6 of 14

3. MindAccess Operator Plan

Item	Description
Access to your Account	MindAccess Operator Plan provides you with a dedicated
	Account on MindSphere. You can login into your Account via the
	respective URL provided by us.
General	Different sizes of MindAccess Operator Plan are available
	(Small/Medium/ Large). You are only authorized to utilize the
	Plan size to which you hold a valid subscription.

3.1. MindAccess Operator Plan – Size Overview

Item	Size		
	Small	Medium	Large
Cloud Foundry productive space	V	V	V
Highly available system ¹	√	V	V
Productive tenant	√	V	V
Operator Cockpit	V	V	V
Fleet Manager incl. rules and events ²	√	V	V
Services via MindSphere APIs ³	V	V	V
Unlimited number of routes	V	V	V
Cloud Foundry RAM size	2 GB	10 GB	20 GB
Subtenants	2	2	2
Users	5	10	25
Asset types	5	25	50
Asset instances	20	100	200
Connected Agents ⁴	1	5	10
Event types	10	50	100
Event instances	250 000	1 250 000	2 500 000
Notifications per month	1 000	5 000	10 000
Analytics Services:	500	1.000	4.500
Number of API calls per month	500	1 000	1 500
Data ingest rate ⁵ (time series)	3 kB/s	13 kB/s	25 kB/s
Time series data storage	20 GB	100 GB	200 GB

v1.1 (May.19) Page 7 of 14

File storage	10 GB	50 GB	100 GB
Outbound Traffic ⁶ per month	60 GB	300 GB	600 GB
Supported build packs	Go, Java, Node.js, .N	Net core, PHP, Pytho	on, Ruby, Static
		File	

¹⁾ Redundant application deployment possible; ²⁾ Limited use of rules and events; one active concurrent rule included in all Plan sizes; ³⁾ Comprehensive set of certain Services available via MindSphere APIs, e.g. Analytics Services, Notification Service, Token Manager Service etc. Authorized limits set out in this Product Sheet or in the MindSphere Supplemental Terms apply; ⁴⁾ Each connected Agent leads to one used asset instance; ⁵⁾ Based on number of assets, number of variables per asset, size per variable, read cycle interval, sending frequency and overhead; ⁶⁾ Outbound Traffic is the total network traffic that is generated by the use of our Services by you and by Users of your application or operated application to devices, locations, databases, applications or other destinations outside the Platform via the exit of the wide area network of the data centers used by us to provide the respective Services. Outbound Traffic includes also data transfer for visualization purposes to e.g. a web browser.

Authorized Limits	Should the actual usage of your Plan size repeatedly
	exceed one or more of the applicable limits above (e.g.
	the number of Users for your Plan size), and should you
	not order the appropriate increase of usage capacities for
	an additional fee, we reserve the right to suspend the
	Service. Other contractual rights and remedies remain
	unaffected.

3.2. MindAccess Operator Plan - Tools

Item	Description
General	The following administration tools are available on your
	MindSphere Launchpad:
	Operator Cockpit
	Usage Transparency
	Settings
	Asset Manager
Operator Cockpit	Use Operator Cockpit to:
	Accept the transfer of an application from a MindAccess
	Developer Plan Account to your MindAccess Operator Plan
	Account.
	Deploy the Cloud Foundry application to the productive
	environment and operate.

v1.1 (May.19) Page 8 of 14

	Register self-hosted applications in the productive environment
	and operate.
	Get an overview of all your applications running on your
	MindAccess Operator Plan Account.
	Get information on usage and traffic.
	Check health status of all your applications.
	Receive and display notifications concerning your applications.
	Provision applications to MindAccess IoT Value Plan
	subscribers (and their Users) on the basis of an App Customer
	Contract between you and their subscribers.
	For detailed information on the individual process steps, please
	refer to the MindSphere DevOps Guide and MindSphere
	Marketing Guide. Please note that MindAccess IoT Value Plan is
	not available in certain countries.
Usage Transparency	Usage Transparency provides information regarding your
	resource consumption
	e.g.
	API calls
	Number of Users
	Inbound and outbound traffic
Settings	Settings allow managing Users, permissions, rights, roles,
	subtenants and tenant provider information.
	For every User, an individual login is required.
	A third party User which you permit to test the application for such
	third parties' end use shall not be granted with administration
	rights, except for administration rights that are offered by the user
	management of a subtenant.
Asset Manager	Use Asset Manager to:
	Onboard and offboard Agents to your Account.
	Configure assets, asset types and aspect types.

v1.1 (May.19) Page 9 of 14

4. Other Services as part of MindAccess DevOps Plan

Your subscription to MindAccess DevOps Plan also includes access and the use of other Services made available to you. This includes e.g. the Fleet Manager and additional Services available via their respective MindSphere APIs. Such Services may be subject to specific terms and conditions that are set out in the MindSphere Supplemental Terms. The MindSphere Supplemental Terms form part of your agreement with us.

When we introduce new features, supplements, enhancements, capabilities or Services (e.g. that were not previously included with the subscription to your MindAccess Developer Plan and/or MindAccess Operator Plan but are added at no additional fee), we may make updates to the MindSphere Supplemental Terms that apply to your use of these new features, supplements, enhancements, capabilities or Services.

Please review the MindSphere Supplemental Terms before using a Service that is not described in this Product Sheet.

v1.1 (May.19) Page 10 of 14

5. Security Information for MindAccess DevOps Plan

Item	Description
Access credentials	Authentication and authorization on User level based on user
	name and password.
General	In order to protect plants, systems, machines and networks
	against cyber threats, it is necessary that you implement – and
	continuously maintain – a holistic, state-of-the-art industrial
	security concept.

v1.1 (May.19) Page 11 of 14

6. Export Control Regulations for MindAccess DevOps Plan

Item	Description
AL	N
ECCN	EAR99

v1.1 (May.19) Page 12 of 14

7. Definitions for MindAccess DevOps Plan

Item	Description
Asset	An asset is the logical representation of a thing which can be a
	machine or an automation system with a single or multiple
	automation unit(s) e.g. PLC or even a factory site. Assets are
	defined using an asset type.
Asset type	Asset type describes the type of an asset (e.g. a generic motor)
	including one or several attributes. An asset type is a template
	that describes the attributes of a homogenous group of physical
	or logical assets. Used for asset modeling.
	Asset type is a grouping of assets with common characteristics
	that distinguish those assets as a group or class.
Asset instance	Asset instance reflects a physical and/or logical device within
	your Account, e.g. a specific motor within a factory would be an
	asset instance. Each instance belongs to an asset type.
Agent	An Agent is a field device or software application which you
	connect to your Account (e.g. MindConnect Nano or a third party
	agent). Each Agent can ingest data into your Account and send
	data from one or more asset instances. The number of Agents
	equals the number of parallel data ingest channels. The data
	points that are ingested into the Account are associated to asset
	instances.
Backing Services	Backing Services include any services which an application
	utilizes over the network as part of its normal operation.
	Examples include data stores (such as PostgreSQL),
	messaging/queueing systems (such as RabbitMQ) or caching
	systems (such as Redis).
	Backing Services are available in different sizes, e.g. XS or M.
	This relates to available memory, storage space and additional
	properties like high availability.
Backing Service instance	Backing Service instance is a running and instantiated Backing
	Service in a certain configuration/size.
Cloud Foundry Org (CF Org)	CF Org is an environment to test and operate applications.

v1.1 (May.19) Page 13 of 14

Event	An event documents the occurrence of a defined situation (e.g.
	exceed temperature threshold or starting a motor).
Event type	The order and the content of an event instance are specified in
	the corresponding event type (e.g. timestamp, priority and
	description).
Event instance	Event instance represents the actual occurrence and includes the
	information defined in the event type (e.g.2018-07-10 15:45:23
	HIGH Temperature high).
Fleet Manager	Fleet Manager provides an overview of your assets configured in
	a respective Account, and allows for searching and filtering of
	relevant assets based on various criteria. You can define rules in
	the Fleet Manager that monitor the data points of the respective
	assets and define resulting actions like sending notifications or
	setting the status indication after the occurrence of an event set
	by you, e.g. in case the data relating to a certain asset exceeds a
	threshold defined by you in the Fleet Manager.
MindSphere Launchpad	After the login into your Account, the Launchpad appears. Similar
	to a desktop on any common operating system (OS), the
	MindSphere Launchpad facilitates starting various assigned
	applications.
	If you provide services to your customers, you must replace the
	service and support information provided in the MindSphere
	Launchpad with your companies' service and support
	information.
Subtenant	A subtenant is a certain limited resource of a tenant and
	represents a subpart of your own real-world organization. In a
	MindAccess Developer Plan, a subtenant also represents the
	real-world organization of a third party that you permit to test
	applications for such third parties' end use. A subtenant is also
	used to assign applications and provide access to applications.
Tenant	A tenant is a representation of a real-world organization. It covers
	properties like users, data, assets, entities etc.
Additional definitions	Capitalized terms in this document shall have the definition
	ascribed to them in the MindSphere Agreement.

v1.1 (May.19) Page 14 of 14